



#12/RESPONSE
9/2/99
B.N.

PATENT

-1-

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of)	Group Art Unit: 2712
)	
YASUO IWASAKI)	Examiner: C. Onuaku
)	
Application No. 08/826,744)	AMENDMENT UNDER 37
)	CFR § 1.116 - EXPEDITED
Filed: April 7, 1997)	PROCEDURE - EXAMINING
)	GROUP 2700
For: AUDIO AND/OR VIDEO DATA)	
RECORDING AND REPRODUCING)	2001 Ferry Building
APPARATUS AND METHOD OF)	San Francisco, CA 94111
SAME)	(415) 433-4150
)	
)	Atty Docket: SONY-P7325

Box AF
Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

In response to the Office Action mailed June 28, 1999, please consider the following remarks:

REMARKS

Claims 1-18 are pending in this application. On May 28, 1999 the undersigned attorney spoke with the Examiner regarding the references used in the rejection of claims 4-5 and 14-15 (page 5 of the Office Action mailed April 5, 1999). In that Office Action, the Examiner rejected the claims under Kassatly in view of Nakayama, but in the detailed rejection applied Windrem instead of Kassatly. In the telephone conversation, the Examiner indicated that Windrem was an error and should be replaced with Kassatly for this rejection. It is noted that the Examiner did not revise the present Office Action

RECEIVED
SEP - 2 1999
2700 MAIL ROOM